

SUPPLEMENT TO



No. 39] NEW DELHI, SATURDAY, OCTOBER 20, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd September, 1956

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)						Bhopal—contd.					
Ajmer						(Estd. mid-year pop. 867 thousands.)					
TOTAL	Total for w/e 15-9-56	1	..
(Estd. mid-year pop. 752 thousands.)						Total for w/e 8-9-56	2
Total for w/e 15-9-56	1	1	..	7-yearly mean for the week
Total for w/e 8-9-56	Bihar					
7-yearly mean for the week	Patna	..	172	53
Andhra						Gaya	..	37	11
Srikakulam	..	2	2	Shahabad	..	25	14
Visakhapatnam	6	2	Saran	..	29	6
Godavari East	7	3	Champaran	..	58	24
Godavari West	4	..	Monghyr	..	13	3
Krishna	..	14	7	14	3	Bhagalpur	..	10	5
Guntur	20	5	Santal Parganas	..	4	1
Nellore	9	2	Hazaribagh	..	2	2	10	4
Kurnool	32	11	Manbhum	..	4	2
TOTAL	16	9	92	26	..	Palamau	..	5	1
(Estd. mid-year pop. 21,238 thousands.)						TOTAL	359	122	10	4	..
Total for w/e 15-9-56	15	6	98	24	..	(Estd. mid-year pop. 42,198 thousands.)					
Total for w/e 8-9-56	21	8	96	22	..	Total for w/e 15-9-56	190	64	12	3	..
7-yearly mean for the week	160	92	67	14	..	Total for w/e 8-9-56	174	61	1	1	..
Assam						7-yearly mean for the week	285	120	32	8	..
"N. R."						Bhopal					
Bhopal						TOTAL	1

Explanation of Symbols used: C=Cases; D=Deaths; ..=Nil;="NR" Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd September, 1956—*contd.*

CHOLERA							SMALLPOX							PLAGUE													
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						
C.							D.							C.							D.						

Explanation of Symbols used: C=Cases; D=Deaths; —Nil: "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd September, 1956—*contd.*

CHOLERA								SMALLPOX								PLAQUE								CHOLERA								SMALLPOX								PLAQUE																			
		C.		D.		C.		D.		C.		D.		C.		D.				C.		D.		C.		D.		C.		D.																													
Orissa—contd.																Vindhya Pradesh																																											
(Estd. mid-year pop. 15,114 thousands).																"N.R."																																											
Total for w/e 15-9-56																199	95	16	2	..	West Bengal																																						
Total for w/e 8-9-56																146	88	11	"N.R."																																					
7-yearly mean for the week																15	11	56	13	..	Grand Total for States Parts (A) & (C) (Excluding Assam, Bombay, Madhya Pradesh, Vindhya Pradesh and West Bengal)																																						
Punjab (I)																543	218	222	78	1	..																																						
TOTAL																(Estd. mid-year pop. 202,191 thousands.)																																					
(Census pop. 12,641 thousands).																Total for w/e 15-9-56																421	174	273	85																						
Total for w/e 15-9-56																3	Total for w/e 8-9-56																364	166	223	46																
Total for w/e 8-9-56																2	7-yearly mean for the week																947	449	227	56	4	1																
7-yearly mean for the week																1																																						
Pondicherry																STATES PART (B)																																											
TOTAL																28	14	Hyderabad																																					
Tripura																"N.R."																																											
TOTAL																Jammu & Kashmir																																					
(Estd. mid-year pop. 706 thousands).																"N.R."																																											
Total for w/e 15-9-56																Madhya Bharat																																					
Total for w/e 8-9-56																"N.R."																																					
Uttar Pradesh																Mysore																																											
																"N.R."																																											
Bareilly																4	2	Patiala & East Punjab States Union																																					
Lucknow																9	1	1	1	1	..	"N.R."																																					
TOTAL																13	3	1	1	1	..	Rajasthan																																					
(Estd. mid-year pop. 66,780 thousands.)																"N.R."																																											
Total for w/e 15-9-56																17	9	3	1	Saurashtra																																					
Total for w/e 8-9-56																23	9	5	2	TOTAL																																					
7-yearly mean for the week																98	55	4	2	4	1	..																																					

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd September, 1956—concl'd.

CHOLERA						CHOLERA					
SMALLPOX						SMALLPOX					
PLAGUE						PLAGUE					
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Travancore-Cochin						POLIOMYELITIS					
"N.R."						(Information based on patients treated in hospitals in important towns)					
Grand Total for States Part (B)						Place	Period	Cases	Deaths		
Grand Total for States Parts (A), (B) and (C)						Bombay	1—15th September, 1956	4	..		
543	218	222	78	1	..	Hyderabad	do.	1	..		

Explanation of symbols used : C. = Cases. D. = Deaths; .. = Nil; "N. R." = Information not received.

NEW DELHI-2 (INDIA);

The 15th October, 1956.

K. MITRA,

for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Deaths from :—															
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
STATES—(Parts A and C)															
Ajmer															
Ajmer	223	140	32.6	—	9	2	4	..	39	9.1	10		
Beawar	59	15	13.2	6	1	3	1	21	18.5	4		
TOTAL	282	155	28.6	15	3	7	1	60	11.1	14		
Andhra															
“N.R.”															
Assam															
“N.R.”															
Bhopal															
Bhopal	116	46	20.6	1	1	3	1.3	..		
Bihar															
Arrah	70	6	4.5	1	2	3	2.2	..		
Bihar	68	12	9.2	2	1	4	3.1	..		
Bettiah †															
Bhagalpur	126	32	13.2	3	7	25	10.3	..		
Chapra †															
Darbhanga	93	37	20.7	2	4	2	..	17	9.5	3		
Dhanbad	41	9	11.4	1	1	..	—	5	6.3	..		
Dinapur	44	6	7.1	1	3	6	7.1	..		
Gaya	149	62	21.6	26	4	11	1	69	24.1	..		
Hazaribagh	39	17	22.7	9	12.0	5		
Jamalpur	47	6	6.6	1	2	2.2	..		
Jamshedpur	246	112	23.7	8	1.7	5		
Katihar	51	—		
Monghyr†															
Muzaffarpur †															
Patna	330	211	33.3	5	4	45	7.1	..		
Purulla	47	8	8.8	1	1	3	3.3	..		
Ranchi	130	34	13.6	5	19	7.6	8		
TOTAL	1,481	552	19.5	11	49	11	13	5	215	7.6	21		
Bombay															
Ahmedabad	889	928	54.3	22	25	67	..	373	21.8	124		
Ahmednagar	88	82	48.5	1	2	..	17	10.0	7		
Amalner	50	43	44.7	10	..	3	..	17	17.7	1		
Bagalkot	36	43	62.1	3	..	3	..	14	20.2	3		
Baroda	242	259	55.7	13	5	10	1	71	15.3	17		
Barsi	46	49	55.4	3	..	1	..	12	13.6	2		
Belgaum	110	51	24.1	3	1	2	..	21	9.9	1		
Bhusawal	62	41	34.4	6	9	7.5	1		
Bijapur	75	69	47.8	7	..	1	..	23	15.9	2		
Broach	67	71	55.1	8	..	5	..	26	20.2	6		
Cambay	41	54	68.3	1	..	11	14.0	1		
Chalisgaon	35	35	52.0	4	..	1	..	10	14.9	2		
Dharwar	76	38	26.0	1	..	13	8.9	1		
Dhulla	89	63	36.8	5	..	1	..	13	7.6	3		
Gadag Betageri	71	57	41.7	7	1	3	1	18	13.1	2		
Godra	40	42	54.6	4	..	1	..	9	11.7	2		
Greater Bombay	3,449	2,094	31.6	2	27	112	3	642	9.7	182		
Hubli	148	82	28.8	3	1	8	3	26	9.1	3		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; N. R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Bombay—contd.														
Jalgaon	79	40	26.3	7	..	1	..	14	9.2	1	
Kalyan	73	40	28.5	1	1	1	..	9	6.4	2	
Kolhapur	159	97	31.7	1	..	4	..	26	8.5	3	
Malegaon	63	64	52.8	6	..	2	..	10	8.3	5	
Miraj	44	27	31.9	3	1	10	11.8	1	
Nadiad	71	69	50.5	18	1	3	..	29	21.2	4	
Nandurbar	35	35	52.0	1	..	3	..	12	17.8	2	
Nasik†	119	83	38.4	1	7	1	4	..	38	16.6	9	
Navasari	50	49	51.0	7	19	19.8	7	
Pandharpur	44	42	49.6	5	5	7	..	20	23.6	5	
Patan	47	56	61.9	5	1	2	..	13	14.4	4	
Poona	607	427	36.6	3	4	33	1	126	10.8	20	
Sangli	58	45	40.3	2	2	3	..	17	15.2	..	
Satara	40	37	48.1	2	..	11	14.3	3	
Sholapur	299	332	57.7	22	13	38	..	141	21.2	32	
Surat	250	216	44.9	4	4	16	..	101	21.0	33	
Thana	61	34	29.0	4	..	5	..	18	15.3	5	
TOTAL	7,713	5,799	39.7	1	196	94	346	9	1,939	13.1	496	
Delhi State														
"N.R."														
Madhya Pradesh														
"N.R."														
Madras														
Ambur	44	32	37.8	2	9	10.6	3	
Aruppukottai	56	31	28.8	4	4	17	15.8	6	
Bodinayakanpur	40	11	14.3	1	..	6	7.8	2	
Cannanore	47	15	16.6	5	..	16	17.7	2	
Chidambaram	39	35	46.7	4	5.3	1	
Coimbatore	234	209	46.4	1	10	15	1	92	20.4	19	
Cuddalore	74	87	61.1	..	2	..	3	..	3	..	24	16.9	6	
Dindigul	90	39	22.5	5	1	3	..	22	12.8	5	
Erode	67	43	33.4	3	..	13	10.0	4	
Gobichetty Palyan	38	16	21.9	1	..	6	8.2	1	
Guddiyattam	53	27	26.5	1	1	11	10.8	1	
Kancheepuram	90	86	49.7	1	2	7	..	26	15.0	7	
Karalkudi	44	26	30.7	2	1	3	..	11	13.0	2	
Karur	50	17	17.7	4	1	11	11.4	..	
Kozhikode	176	169	49.9	11	4	14	3	142	42.0	37	
Kumbakonam	105	131	64.9	1	2	..	27	13.4	9	
Madras	1,703	1,362	41.6	..	6	..	47	94	146	3	608	18.6	161	
Mangalore	136	78	29.8	2	1	1	..	38	14.5	13	
Mathurai	427	364	44.3	7	10	24	3	169	20.6	37	
Mayuram †											
Malappalyam	41	15	19.0	1	3	1	1	9	11.3	4	
Nagapattinam	60	55	47.3	3	2	..	21	18.2	7	
Ootacamund	48	34	36.8	2	8	8.7	2	
Palni	40	23	29.9	3	..	11	14.3	2	
Palayamkottai	45	50	57.8	2	..	1	..	15	17.3	2	
Palghat	77	38	25.7	1	..	3	..	18	12.2	..	
Periyakulam	34	17	26.0	1	2	3	..	11	16.8	..	
Pollachi	51	41	41.8	1	10	10.2	3	
Pudukottai	50	38	39.5	1	8	8.3	1	
Rajapalayam	69	20	15.0	1	2	2	..	11	8.3	2	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile deaths (included in total deaths) ; .. = Nil Information. "N. R." = Information not Received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—contd.													
Salem	241	131	28.3	1	1	5	..	31	6.7	2
Srirangam	42	45	55.7	3	..	12	14.9	..
Srivilliputtur†													
Tanjore	118	111	48.9	2	1	1	..	39	17.2	9
Tellicherry	42	47	58.2	1	1	1	..	14	17.3	3
Tiruvannamalai	45	13	15.0	1	9	10.4	..
Tirunelveli	80	63	41.0	5	6	..	31	20.2	11
Tiruppur	63	91	75.1	1	4	1	14	11.6	6
Tiruchirappalli	251	126	26.1	..	1	..	4	7	11	2	80	16.6	13
Tuticorin	111	64	30.0	..	1	..	5	5	14	5	49	23.0	10
Vaniyambadi	43	28	33.9	1	2	1	9	10.9	2
Vellore	124	109	45.7	1	3	7	1	41	11.7	13
Villupuram	39	24	32.0	2	1	..	8	10.7	2
Virudunagar	53	29	28.5	1	5	4.9	..
TOTAL	5,280	3,990	39.3	..	10	..	115	168	300	21	1,716	16.9	414
Orissa													
Berhampur	72	95	68.8	2	3	5	2	..	20	14.5	5
Cuttack	117	137	61.1	10	9	6	4	..	60	26.7	5
Puri	53	44	43.3	8	8	2	..	31	30.5	4
TOTAL	242	276	59.3	12	20	19	8	..	111	23.9	14
Pondicherry													
Pondicherry	68	83	63.5	..	3	..	4	3	2	2	30	22.9	17
Punjab (I)													
Ambala	65	68	54.5	2	6	17	13.5	8
Amritsar	343	199	30.1	6	24	1	72	11.0	39
Batala	62	52	43.6	9	2	3	..	17	14.3	6
Bhiwani	57	86	78.6	9	2	5	..	23	12.0	8
Ferozepore	45	43	49.9	1	1	2	..	6	7.0	4
Hissar	39	54	72.2	9	1	2	..	12	16.0	1
Hoshiarpur	51	27	27.5	1	..	13	13.3	5
Jullundur	200	178	46.6	6	4	9	..	32	8.4	8
Karnal	72	44	32.0	7	1	2	..	14	10.2	6
Ludhiana	176	154	45.6	12	..	2	..	25	7.4	5
Moga	41	48	61.0	1	2	2	..	10	12.7	3
Panipat	64	51	41.5	5	1	1	..	12	9.6	3
Pathankot	34	40	61.3	2	3.0	..
Rewari	36	26	37.5	21	4	1	..	9	13.1	2
Rohtak	105	82	40.7	8	1	17	8.3	7
Simla	50	44	45.8	1	1	..	14	14.4	5
Sonipat†													
TOTAL	1,440	1,196	43.2	71	32	57	1	295	10.7	110
Uttar Pradesh													
Agra	375	375	52.0	3	3	48	..	109	15.1	42
Allahabad†													
Amroha	61	76	64.9	2	4	8	..	26	22.1	9
Bahraich	47	25	27.6	1	2	2.1	..
Banaras	383	424	57.6	67	12	9	1	219	29.7	65
Ballia	35	8	11.7	2	5	7.3	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Death; (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh—contd.														
Banda	32	22	35.7	2	..	3	..	7	11.2	4	
Bareilly	203	107	27.3	9	7	16	..	44	11.1	8	
Bijnor†														
Budaun	54	40	38.5	6	1	1	..	16	15.3	4	
Basti†														
Bulandshahr†														
Chandausi	41	47	60.0	3	3	3	..	15	19.3	4	
Dehra Dun	146	94	33.4	2	..	3	..	19	6.7	10	
Etawah	64	48	39.1	8	5	1	..	32	26.0	11	
Faizabad-Ayodhya	88	42	24.7	4	3	11	6.4	1	
Farrukhabad-Fatehgarh	82	49	31.1	4	3	2	..	14	8.8	4	
Ferozabad	79	32	21.0	1	1	3	2.0	..	
Ghaziabad	46	39	44.1	9	..	10	1	12	13.4	3	
Ghaziipur	36	32	46.3	4	..	1	..	15	21.7	4	
Gorakhpur	140	115	42.7	5	4	11	..	30	11.2	13	
Gonda	35	15	22.2	4	6	9.0	..	
Hapur	49	48	51.2	9	1	14	14.6	5	
Hardwar	64	36	29.4	8	3	1	..	22	18.0	9	
Hathras	62	79	66.4	18	4	10	..	38	32.0	14	
Jaunpur	56	35	32.7	4	1	3	..	12	11.2	3	
Jhansi	116	143	64.3	24	..	3	..	42	18.7	14	
Kanpur	734	471	33.3	145	22	46	7	380	27.1	102	
Kasganj	34	18	27.5	1	1	4	6.0	1	
Khurja	41	37	47.0	6	..	3	..	16	20.2	2	
Koil-Aligarh	150	63	21.6	7	2	2	..	16	5.6	4	
Lucknow	494	302	32.0	1	11	8	22	..	113	12.0	33	
Mathura	110	164	77.6	17	2	13	..	44	20.6	14	
Mau-Nath Bhanjan†														
Meerut	185	119	33.5	5	4	6	..	27	7.6	9	
Mirzapur-Vindhyachal	97	67	36.0	8	3	2	..	22	11.7	5	
Moradabad	164	125	39.6	7	7	9	..	49	15.4	20	
Muzaffarnagar	74	46	32.3	9	13	9.1	2	
Pilibhit†														
Rampur†														
Saharanpur	162	110	35.4	21	4	3	..	40	12.7	12	
Sambhal	65	50	40.1	9	4	9	1	25	20.0	7	
Shahjahanpur	99	75	30.7	12	1	1	1	22	9.0	5	
Sitapur	49	34	36.4	3	9	9.4	6	
TOTAL	4,752	3,612	37.5	2	460	112	240	11	1,493	16.3	452	

West Bengal

"N.R."

STATES—(Part B)

Hyderabad

"N.R."

Jammu & Kashmir

"N.R."

Madhya Bharat

"N.R."

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—									Total	D.R.*	I.D.
			B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Mysore														
Chitaldrug	31	16	26.8	3	5.0	..	
Bangalore	977	611	32.5	7	43	73	..	231	12.3	..	
Mysore	294	130	23.0	
Kolar Gold Field	173	52	15.6	2	2	2	..	17	5.1	..	
Bellary	78	48	32.0	1	..	3	..	24	16.0	..	
Davangere	69	48	36.2	2	2	13	9.8	..	
Hospet	45	15	17.3	1	..	9	10.4	..	
Shimoga														
TOTAL	1,667	920	28.7	12	47	79	..	297	9.3	..	
PEPSU														
Patiala City	111	129	60.4	11	..	3	..	29	13.6	13	
Malerkotla	34	22	33.6	1	2	3.1	..	
Bhatinda	39	28	37.3	3	..	1	..	5	6.7	3	
TOTAL	184	179	50.6	15	..	4	..	36	10.2	16	
Rajasthan														
Alwar†														
Bharatpur†														
Bikaner	117	40	17.8	8	5	8	1	35	15.6	2	
Churu	48	6	6.4	
Ganganagar	47	3	3.3	..	1	..	7	1	12	13.2	..	
Tonk†														
Kotah	72	22	15.9	13	17	12.3	1	
Sikar†														
Jaipur	353	130	19.2	48	12	19	..	94	13.9	33	
Udaipur†														
Jodhpur†														
TOTAL	637	201	16.4	..	1	..	76	18	27	1	158	12.9	36	
Travancore-Cochin														
Alleppey	148	125	43.9	3	2	16	5.6	1	
Changanacherry	41	22	27.9	1	1.3	..	
Ernakulam	70	53	39.4	3	3	..	27	20.1	..	
Kottayam	50	24	25.0	2	6	6.2	..	
Mattanchery	85	25	15.3	2	..	3	..	12	7.3	..	
Nagercoll	94	44	24.3	2	1	2	..	11	6.1	2	
Quilon	75	88	61.0	1	17	11.8	..	
Trichur	76	63	43.1	1	..	8	5.5	1	
Trivandrum City	218	200	47.7	4	14	3.3	..	
TOTAL	857	644	39.1	14	6	9	..	112	6.8	4	
Saurashtra														
Bhavnagar	157	72	23.8	16	10	6	1	63	20.1	13	
Dhoraji	47	36	39.9	1	3	3.3	..	
Gondal	41	34	43.1	1	..	8	10.1	3	
Jamnagar	122	20	8.5	3	1	2	..	11	4.7	6	
Junagadh	65	49	39.2	9	2	3	..	20	16.0	4	
Morvi	43	25	30.2	4	..	2	..	7	8.5	1	
Porbandar	64	58	47.1	10	2	2	1	22	17.9	7	
Rajkot	167	80	24.9	21	8	2	..	57	17.7	29	
Surendranagar†														
Veraval	46	15	17.0	2	..	1	..	3	3.4	..	
TOTAL	752	389	26.9	66	23	19	2	194	13.4	63	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
West Bengal													
<i>For w/e 15-9-56</i>													
Asansol†													
Baidyabati . . .	33	9	14.2	1	2	3.1	..
Bally . . .	66	5	3.9	2	4	3.1	2
Bankura . . .	50	14	14.6	—	..	1	2	..	5	5.2	1
Bansberia†													
Baranagar . . .	90	42	24.4	1	3	3	..	15	8.7	7
Basirhat . . .	39	6	8.0
Berhampur . . .	64	53	43.3	—	2	2	10	8.2	3
Bhadreshwar . . .	34	13	20.0	1	1	..	2	3.1	..
Bhatpara . . .	143	37	13.5	4	1	6	..	25	9.1	15
Budge Budge . . .	32	19	31.0	1	1	1.6	..
Burdwan . . .	82	22	14.0	1	..	3	..	10	6.4	..
Calcutta . . .	2,984	1,523	26.7	4	7	..	36	40	131	4	630	11.0	190
Champdani . . .	41	12	15.3	1	1.3	..
Cooch Behar†													
Darjeeling†													
English Bazar . . .	36	4	5.8
Garden Reach . . .	124	16	6.7	..	3	..	2	1	2	..	13	5.5	4
Hallishar . . .	41	2	2.6
Hoogly-Chinsurah . . .	60	55	47.9	1	4	..	1	1	15	13.1	4
Howrah . . .	477	166	18.2	..	1	..	7	11	28	..	117	12.8	47
Jalpaiguri†													
Kamarhati†													
Kanchrapura . . .	74	13	9.2
Krishnanagar . . .	56	1	0.9	1	0.9	..
Midnapore . . .	45	48	55.8	1	4	1	..	14	16.3	..
Nabadwip . . .	70	56	41.8	16	3	..	1	27	20.2	..
Naihati . . .	62	6	5.1	2	1	..	6	5.1	1
North Barrackpore . . .	36	10	14.5	2	2.9	..
Panihati . . .	65	4	3.2	1	1	0.8	..
Shantipur . . .	49	34	36.3	..	1	3	3.2	..
Serampore . . .	83	47	29.6	4	..	1	..	25	14.5	5
Siliguri . . .	44	19	22.6	1	..	2	2.4	..
South Dum Dum . . .	83	31	19.4
South Suburban . . .	124	40	16.8	1	1	6	..	12	5.1	6
Titagarh . . .	78	22	14.7	9	1	14	9.4	2
TOTAL . . .	5,314	2,372	23.2	6	12	..	96	73	191	8	972	9.5	294
Madhya Bharat													
<i>For w/e 15-9-56</i>													
Greater Gwalior . . .	273	60	11.4	3	..	1	..	20	3.8	2
Indore . . .	368	245	34.6	5	2	9	1	66	9.3	25
Ujjain . . .	156	49	16.3	13	45	15.0	16
Ratlam . . .	73	25	17.8	8	11	7.8	—
Mandsaur . . .	41	14	17.8	2	5	6.3	..
TOTAL . . .	911	393	22.4	31	2	10	1	147	9.4	43
Rajasthan													
Alwar†													
Bharatpur . . .	38	10	13.6	5	5	6.8	—
Bikaner . . .	117	50	22.2	7	4	6	..	36	16.0	7
Chufi . . .	48	1	1.1	2	2	2.2	..
Ganganagar . . .	47	2	2.2	8	1	1	2	17	18.7	..
Tonk†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Disease ; M.D. = Maternal Deaths ; D.R. = Death Rates ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd September, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F	D.D.	R.D.	M.D.					
Rajasthan—contd.															
Kotah	72	26	18·8	4	9	6·5	2		
Sikar†															
Jaipur	353	88	13·0	62	18	18	1	127	18·7	32		
Udaipur†															
Jodhpur†															
TOTAL	735	177	12·5	88	23	25	3	196	13·9	41		
Madhya Bharat															
For w/e 8-9-56															
Greater Gwalior	273	237	45·1	13	1	20	3·8	3		
Ratlam	73	17	12·1	3	6	4·3	..		
Madhya Pradesh															
For w/e 15-9-56															
Achalpur	38	54	73·9	5	1	9	12·3	2		
Akola	104	87	43·5	7	2	2	..	26	13·0	6		
Amravati	101	106	54·6	1	2	1	1	29	14·9	7		
Bilaspur	40	32	41·6	2	1	1	..	12	15·6	4		
Burhanpur	79	66	43·4	8	1	3	..	20	13·2	..		
Chanda	43	47	56·8	7	1	21	25·4	8		
Damoh	42	33	40·9	2	1	7	8·6	..		
Khandwa	59	25	22·0	1	..	1	..	11	9·7	..		
Sagar	75	41	28·4	2	7	4·9	..		
Raigarh	35	10	14·9	4	5	7·4	..		
Yeotmal	41	39	49·5	5	14	17·8	5		
TOTAL	657	540	42·7	44	9	8	1	161	12·7	32		
For w/e 4-8-56															
Raigarh	35	9	13·4	..	2	..	1	..	1	..	4	5·9	..		
For w/e 11-8-56															
Bilaspur	40	27	35·1	4	15	19·5	8		
Raigarh	35	11	16·3	3	3	..	1	..	9	13·4	..		
For w/e 18-8-56															
Raigarh	35	16	23·8	12	4	1	19	28·2	..		
For w/e 25-8-56															
Raigarh	35	14	20·8	9	4	1	23	34·2	..		
Punjab															
For w/e 8-9-56															
Ferozepore	45	44	51·1	2	1	9	10·5	2		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile deaths (included in total deaths); ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 22nd September, 1956, relate to 184 towns with an estimated population of 25,471 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 58% of the total number of towns representing 61% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,042 and 6,659 representing birth and death rates of 36.8 and 13.6 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 151 towns with an estimated population of 21,374 thousands. Information about Andhra, Assam, Delhi, Madhya Pradesh & West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 60% of the total number of towns representing 64% of the total population is covered. The number of births and deaths recorded in these towns were 15,709

and 5,862 representing birth rates and death rates of 38.2 and 14.3 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population

(b) States (Part B).—The data here relate to 33 towns with an estimated population of 4,097 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 51% of the total number of towns representing 51% of the total population is covered. The number of births and deaths recorded in these towns were 2,333 and 797 representing birth and death rates of 29.6 and 10.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 22-9-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	28.6	11.1	†	†	39.7	16.5
Bihar	19.5	7.6	21.3	6.2	18.4	7.9
Bombay	39.7	13.1	38.2	14.7	39.7	16.8
Madras	39.3	16.9	41.4	15.8	†	†
Orissa	59.3	23.9	49.4	18.6	42.0	19.6
Punjab (I)	43.2	10.7	42.6	10.0	42.9	11.0
Uttar Pradesh	39.5	16.3	50.2	16.6	46.0	20.5
India*	38.2	14.3	38.7	12.2	40.2	16.6

* "6" Part 'A' States and '1' Part 'C' States

† Figures not available.

NEW DELHI-2 (INDIA) ;

The 15th October, 1956.

K. MITRA,
for Registrar General, India.